® Registered Trademark of a Syngenta Group Company

Manufactured by:

Syngenta Crop Protection AG Basel, Switzerland

Distributor:

Syngenta Zambia Limited Plot No. 5255, Mukwa Road P.O. Box 33088, Lusaka, Zambia Tel.: +260 211 244 766

PPF 4121576 L1062819 ZAMB/05Y



syngenta

Adjuvant.

A non-ionic wetter / spreader / penetrant surfactant.

Active ingredient content:

Polyether - polymethylsiloxane - copolymer: 1000 a/l

HARMFUL IF INHALED

KEEP LOCKED UP OUT OF REACH OF CHILDREN

Hazard statement

- -Causes serious eye irritation
- -Harmful to aquatic life with long lasting effects

Precaution statement

- -Avoid breathing dust/ fume/ gas/ mist/ vapours/ sprav
- -Avoid release to the environment



















Before opening the container. read the safety advice

750ml

Shelf-Life:

At least 3 years from date of manufacturing, in original unopened containers stored in a cool dry well ventilated place.

Emergency Call Number:

Swiss Toxicological Information Centre (24 h) +41 44 251 51 51

500ml

250ml

WARNINGS:

- Handle with care and read label prior to use.
- May be harmful if swallowed, inhaled or contact is made with skin or eyes.
- May cause severe irritation to eyes and moderate irritation to the skin, lungs and stomach.
- Always follow the precautionary statements on the label of the pesticide(s) that is to be used with the Complement® Super.
- Always consult the PRECAUTIONS below for specific instructions.
- Avoid contact with skin, eves and clothing.
- Avoid breathing vapours or spray mist.
- Always wear suitable eye protection and protective clothing and rubber gloves.
- Avoid using the product in a manner as to directly, or through drift, expose workers or other persons.

FIRST AID MEASURES

If poisoning is suspected, stop work immediately and seek medical advice. In case of contact with skin and eyes, wash immediately with plenty of water. Rinse splashes from eyes with abundant fresh and clean water for at least 15 minutes.

If inhaled move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

If swallowed, seek medical advice immediately and show this container or

label. Do NOT induce vomiting.

NOTE TO PHYSICIAN: No specific antidote is known. Apply symptomatic therapy.

SAFETY AFTER SPRAYING:

- Clean all application equipment thoroughly after use and dispose of rinsate where it will not contaminate crops, grazing, rivers or dams.
- Rinse the empty container three times with a volume of clean water equal to a minimum of 10% of that of the container. Add the rinsate to the content of the spray tank before destroying the container.
- Destroy empty container and do not use for any other purpose.
- Change and wash work clothes.

PRODUCT CHARACTERISTICS:

Complement® Super is a new generation surfactant based on organo-modified siloxane technology for use in water-based pesticide formulations. Complement® Super is a highly effective non-ionic surfactant / spreader / wetter / penetrant. The Complement® Super effectiveness may allow the use of the lowest labeled pesticide rate. Careful observation of spray application is recommended to determine proper and efficient pesticide application. This will optimize the pesticide and surfactant load levels. Read WARNINGS statements carefully before use.

DIRECTIONS FOR USE:

Use only as directed.

Pesticide manufacturers may recommend a rate of non-ionic surfactant to be used with their product. Follow the pesticide label recommendations on the use of the surfactant. However, if the label does not have a specific recommendation for the surfactant use, BREAK - THRU S233 is recommended at the following dosage rates unless the pesticide label contains a specific warning against the use of non-ionic surfactant. It is recommended, however, that the initial spray process be carefully monitored in order to determine the correct and most efficient rates.

MIXING INSTRUCTIONS:

- Use Complement® Super at a rate of 100 ml per ha irrespective of water volume.
- Fill the spray tank 2/3 to 3/4 full of water. Commence agitation.
 - If foaming is anticipated add an anti-foaming agent before pesticide and Complement® Super.
- Add pesticide as directed by the pesticide label.
- Continue agitation.
- Add Complement® Super and continue filling tank while maintaining mild agitation.

USER'S RISK

The user bears the risk for damage resulting from factors beyond the manufacturer's control.

All recommendations for use of the product are based on the current state of the manufacturer's knowledge. Since the manufacturer cannot control the application, use, storage or processing of the product, the manufacturer cannot accept responsibility therefore.

NO TEXT HERE

GLUE PAGE

PAGE NUMBER SEQUENCING IS DETERMINED BY THE FINAL LEADING EDGE.
RIGHT HAND STARTS FROM BACK OF BOOKLET. LEFT HAND STARTS FROM FRONT OF BOOKLET.
FIRST (FRONT) PAGE IS ALWAYS FIXED ON TOP OF BOOKLET.

